



Distributors of Agricultural Sprayers
And Protective Gear

Ruiru Kamiti-Road, Next to Ruiru Prisons Staff College

P.O. Box 64311-00620, Nairobi Kenya

Land Line: + 254 20 231 394 5

Mobile: + 254 722 854 191 / 0722 286 269 / 0733 402 532


Email: sales@panagric.co.ke / info@panagric.co.ke

sales@panagric.com Website: www.panagric.com




SPRAY MACHINES

1. GMBAR 30PORTABLE SPRAYER

DESCRIPTION OF GOODS	PHOTO
<p>GMBAR30 diaphragm pump 35l/min @40bar, 6.5hp honda gasoline engine, coupling gear box &frame.</p> <p>high pressure hose pipe 3/8"</p> <p>double nozzle lances with albus ceramic nozzles.</p> <p>accessories: hose clips, suction, delivery, pipes, filters, oil, agitator.</p>	


2. 120ltrs WHEELBARROW SPRAYER

DESCRIPTION OF GOODS	PHOTO
<p>A 120 Liters high density fiberglass tank on a sturdy constructed wheelbarrow frame with 2, 10" wheels.</p> <p>GMB-AR30 Diaphragm pump, 35L/Min @40bar, 5.5Hp Honda gasoline engine, G140 pressure control regulator. Agitation is via a Hydro-Pneumatic Plastic Agitator.</p> <p>Delivery is through 2 x 50mtrs 80/200bar high pressure hose pipe and two double nozzle lance with ceramic nozzles.</p>	

3. 200LTRS TROLLEY SPRAYER

DESCRIPTION OF GOODS	PHOTO
<p>GMBAR30 diaphragm pump, 6.5hp honda gasoline engine, 200 ltrs fibre glass cylindrical tank, gear box coupling, frame, 3 biometric tyres complete.</p> <p>3/8" high pressure hose pipe</p> <p>double nozzle lances with ceramic nozzles.</p> <p>accessories: hose clips, suction, delivery, pipes, filters oil, agitator.</p>	 <p>The top photograph shows the sprayer from a side-rear perspective. It features a bright orange cylindrical tank mounted on a green metal frame. The frame has two large red wheels at the rear and a smaller red wheel at the front. A blue hose is coiled on the left side. A white Honda engine is visible at the rear. The bottom photograph shows the sprayer from a front-three-quarter view. The orange tank is the central focus, with the green frame and red wheels clearly visible. The blue hose is coiled on the right side. The white Honda engine is at the front. The background in both photos is a dirt path with some greenery.</p>


4. 300LTRS TROLLEY SPRAYER

DESCRIPTION OF GOODS	PHOTO
<p>GMBAR30 diaphragm pump, 6.5hp honda gasoline engine or 6hp,1450rpm, 3hp ,3phase electric motor, 300 ltrs fibre glass cylindrical tank, gear box coupling, frame, 3 biometric tyres complete.</p> <p>3/8" high pressure hose pipe</p> <p>Double nozzle lances with ceramic nozzles</p> <p>Accessories: hose clips, suction, delivery, pipes, filters oil, agitator.</p>	 A photograph of a 300-liter trolley sprayer. The sprayer has a yellow cylindrical tank mounted on a green metal frame with two large red wheels. It features a Honda gasoline engine and a diaphragm pump. The sprayer is parked on a gravel surface in front of a sign for 'PAN AGRIC AGRICULTURAL EQUIPMENT AND SERVICES'. The sign also includes a phone number and a red arrow pointing left.


5. 600LTRS TROLLEY SPRAYER

DESCRIPTION OF GOODS	PHOTO
<p>Tank: 600 liters fiberglass tank.</p> <p>Chemical Trap:Chemical trap & drainage underneath the tank.</p> <p>Pump: GMB AR-30 Diaphragm type, flow rate 35 liters/ minute @ 40 bars.</p> <p>Pressure regulator:GI40 pressure control regulator.</p> <p>Motor: 5.5Hp electric motor and DOL Starter</p> <p>Engine: 6.5Hp Honda gasoline engine.</p> <p>Hose reels:Attached with 2 hose reels of 50mtrs to 100mtrs hose capacity.</p> <p>Hoses: 100mtrs High pressure hose pipes 3/8" – WP 80 Bar- BP 240 Bar</p> <p>Lances:Double nozzle brass head and stainless steel tube with ceramic nozzles.</p>	


6. 1200LTRS COFFEE SPRAYER

DESCRIPTION OF GOODS	PHOTO
<p>A 1200 Liters high density fiberglass tank mounted on a reinforced heavy duty metal frame with a quick – turn drawbar, a 2.5 tone max. Capacity hubs, 16 inch heavy duty rims with 16 x 750 tires.</p> <p>GMBAR-903 anti-corrosion, high pressure, high volume diaphragm pump with a capacity of 100 liters per minute at a maximum pressure of 50 bars and BMH50 pressure control regulator valve. Agitation is via a hydro-pneumatic plastic agitator.</p> <p>A standard P.T.O shaft, 100mtrs x 2 high pressure 80Wp/240, 10mm hose pipe on 2 swivel connected hose reels and 2 Venture spray guns.</p>	 A photograph of a green 1200-liter coffee sprayer machine. The machine is mounted on a heavy-duty metal frame with two large, treaded tires. It features a central pump mechanism and two spray guns extending from the top. The machine is parked on a dirt or gravel surface, and the background shows some trees and a cloudy sky.

7. CENTRAL SPRAY UNIT

DESCRIPTION OF GOODS	PHOTO
<p>Central Spray Unit-GMBAR130 Diaphragm pump, 15hp, 1440RPM 3-phase motor and a delta on line (DOL) with thermal overload.</p> <p>2x 1000 liters tank on a sturdy frame with a step ladder, tank with all fittings including suction, return and a vortex and pneumatic agitation system</p> <p>Miscellaneous fittings including connectors, hose pipes, clips, oil.</p>	


8. 600 liters tractor mounted sprayers

DESCRIPTION OF GOODS	PHOTO
<p>Tank: 600 liters fiber glass tank</p> <p>Pump: i. GMB AR-30 /35 Liters per minute @ 40 bar</p> <p>ii. GMB AR-55/ 55 liters per minute@40 bar</p> <p>iii. GMB 81 / 81 liters per minute @50 bar</p> <p>iv. GMB -130 /130 liters per minute @ 50 bar</p> <p>v. GMB -215 /215 Liters per minute @ 20 bar</p> <p>Pressure regulator: - GI40</p> <ul style="list-style-type: none">-RM 40-RM 40/VDR50/BMH50-VDR 50/BMH50 <p>Booms: 10m –fixed centre suction, 12m –fixed centre suction</p> <p>Hoses: High pressure PVC or Rubber 80 bar Wp/240 Bar Bp</p> <p>Lances: Double nozzle with brass head and stainless tube</p> <p>Or</p> <p>CG 16 Venturi spray guns.</p>	 A photograph showing a tractor-mounted sprayer. The sprayer has a large white cylindrical tank mounted on a green metal frame. A person in a white shirt and brown pants is standing next to the sprayer, providing a sense of scale. The background shows a blue wall and some greenery.

9. Portable sprayers

DESCRIPTION OF GOODS	PHOTO
<p>Pump: GMB AR-30 Diaphragm type, flow rate 35litres/minute@40 bar</p> <p>Pressure control regulator: GI40</p> <p>OR</p> <p>TF 22 Piston pump, 22litres/minute@40 bar with inbuilt pressure regulator.</p> <p>Motor: 5.5Hp with DOL starter</p> <p>Engine: GX Honda 5.5/6.5Hp</p> <p>Hoses: High pressure hose pipes</p> <ul style="list-style-type: none">- Wp 80 bar-Bp 240 bar <p>Lances: Double nozzle brass head and stainless steel tube.</p> <p>Or</p> <p>CG16 Venturi spray gun</p>	


10. Dust/ mist sprayer

DESCRIPTION OF GOODS	PHOTO
<p>Our motorized knapsack sprayer is easy to start and has a strong rubber support to absorb any vibrations and hence user friendly. our mist blower comes with 20ltrs tank capacity and 2 engine models</p> <p>5. 5 hp engine (GSP M3V)</p> <p>Its unique engine capacity and robustness makes it the farmers favorite motorized knapsack sprayer dealer in Kenya</p>	 A photograph of a motorized knapsack sprayer. It features a white cylindrical tank with a red cap and a red engine block below it. A red spray wand is attached to the side. The device is supported by a black rubberized base. The background shows green foliage.


11. Knapsack sprayer

DESCRIPTION OF GOODS	PHOTO
<p>Our GSP 15ltrs Knapsack manual sprayer is a robust, reliable and field proven sprayer that is ideal for commercial farming.</p> <p>GSP - Concept is an eco friendly spraying technology that ensures adequate maintenance and calibration of this top of the range brand and gives maximum protection and comfort to the operator. our GSP knapsack sprayers require only minimum maintenance effort and are very durable.</p> <p>Our high quality knapsack sprayers comes in 15 ltrs, 16ltrs 20ltrs and one ltrs hand sprayer that's ideal for domestic use. we are proud to be the best one stop knapsack sprayer outlet in Kenya and beyond</p>	 <p>The 'PHOTO' column contains three images of knapsack sprayers. The top image shows a yellow knapsack sprayer with 'GSP15' printed on it. The middle image shows a blue knapsack sprayer with 'GSP16K PANAGRIC' printed on it. The bottom image shows a white hand sprayer with a blue trigger.</p>


12. Portable pump (TF600)

DESCRIPTION OF GOODS	PHOTO
<p>This is a small, easy to carry piston pump attached through a gearbox to a 2.6Hp and easy to start engine.</p> <p>It has an agitation capacity of upto 200Litres.</p> <p>It is supplied with a standard 10metres high pressure hose pipe and one venture spray gun.</p>	 A photograph showing a portable piston pump (TF600) with a red engine and black gearbox, connected to a yellow high-pressure hose. A spray gun is also visible. The equipment is laid out on a concrete surface.

13. High pressure cleaners

DESCRIPTION OF GOODS	PHOTO
<p>Both power and gasoline driven pressure cleaners are available with power rating of 2.2kw to 4kw, very high pressure range of 130-200 bar and water flow rates of 15litres per minute.</p> <p>A repair service for the same is available.</p>	 A photograph showing two high-pressure cleaners standing side-by-side. Both units are primarily yellow with black accents and handles. They have a cylindrical body and a top-mounted handle. The unit on the left has a black hose reel on top, and the unit on the right has a black hose reel on the side. They are positioned on a light-colored tiled floor against a plain wall.


14. Vertical boom

DESCRIPTION OF GOODS	PHOTO
<p>Suitable for green house growers. it gives complete coverage, great penetration and its very convenient and user friendly</p>	 A photograph of a vertical boom sprayer. It features a green metal frame with two yellow wheels at the base. A long, silver boom extends vertically from the frame, equipped with several small, dark nozzles. A blue hose is connected to the side of the frame. The device is positioned on a brick floor against a plain, light-colored wall.


15.coffee pulpers

DESCRIPTION OF GOODS	PHOTO
<p data-bbox="134 296 446 331">Manual Coffee Pulper</p> <p data-bbox="134 369 461 405">Pulps 200Kgs per hour</p> <p data-bbox="134 884 342 919">Electric Pulper</p> <p data-bbox="134 957 461 993">Pulps 200Kgs per hour</p>	 <p data-bbox="938 338 1425 701">A manual coffee pulper machine with a stainless steel body and a large red hand crank on the right side. It has a hopper at the top for coffee cherries and a collection tray at the bottom. The machine is sitting on a bed of straw.</p>  <p data-bbox="938 806 1305 1274">An electric coffee pulper machine with a stainless steel body and a black metal frame. It has a hopper at the top and a collection tray at the bottom. The machine is sitting on a concrete floor against a stone wall.</p>


16.coffee pulper disc

DESCRIPTION OF GOODS	PHOTO
<p>Pan Agric provides coffee pulper disc sand-blasting and re-coating services of the highest standards. Coffee Pulper chops are reconditioned with high precision to provide for quality pulping of coffee.</p> <p>Chop knives, all brass fittings, hopper, huller pre-grader sieves and coffee selector are all fittings including chains, belts and bearings are done with great care and accuracy.</p> <p>We also provide new pulper disc and chops of very high quality.</p>	

17. Thermal Fogging Machine

DESCRIPTION OF GOODS	PHOTO
<p>Our thermal fogging machines use heat to vaporize a fogging solution and efficiently spray it out in form of a fog.</p> <p>These thermal foggers are equipped with a heat barrel that gets pre-heated to very high temperatures using gasoline fuel.</p> <p>The fogging solution is in a liquid form and when it gets pumped into the heat barrel, it vaporizes instantly allowing the fogger to produce large amount of particles in extremely small sizes, which all together form a dense cloud of dry fog</p>	

19.Trolley hose reels

DESCRIPTION OF GOODS	PHOTO
<p>This is high quality hose reels of 50metres to 100metres hose capacity.</p>	 <p>The top photograph shows two trolley hose reels positioned against a stone wall. The reel in the foreground is loaded with orange hoses, and the one behind it has blue hoses. Both reels have a green metal frame and a single black wheel. The bottom photograph shows two similar trolley hose reels on a paved surface. One reel is loaded with yellow hoses, and the other is empty. A separate coil of blue hoses lies on the ground in front of the empty reel. Both reels have a green metal frame and two black wheels.</p>

20. Standard Tractor Shaft PTO

DESCRIPTION OF GOODS	PHOTO
<p>High quality both light and heavy duty.</p> <p>6 sprines, 550 rpm</p>	 A photograph of a yellow tractor shaft PTO component lying horizontally on a green lawn. The component is cylindrical with a central shaft and two flange-like ends. A small white label is visible on the central shaft.

21.PAN100 Wheelbarrow Sprayer 100lts

DESCRIPTION OF GOODS	PHOTO
<p>Pan Agric TPM 100/20F Power Sprayers</p> <p>Chemical tank capacity 100L</p> <p>Pump flow rate 20L/min</p> <p>Working pressure 20 bar</p> <p>Operating pressure 20Bar</p> <p>Hose length 30m Adjustable to even 100m</p> <p>Mating power 152F, 1.4KW.</p>	 A photograph of a green and blue Pan Agric TPM 100/20F Power Sprayer wheelbarrow sprayer. The sprayer is parked on a dirt path. In the background, there is a sign that reads "PAN AGRIC" and some greenery.


22. Gasoline Power Sprayer GX35-900

DESCRIPTION OF GOODS	PHOTO
<p>Tank capacity: 25L</p> <p>Operating pressure: 1-4MPa</p> <p>Pump suction: 7.1L/min</p> <p>Displacement: 25.6ml</p> <p>Max. output: 0.9hp/6,000rpm</p>	 A photograph of a white and red gasoline power sprayer. The sprayer has a white cylindrical tank with a red cap and a red engine at the bottom. A black hose is attached to the side, and a spray wand is visible. The sprayer is positioned outdoors on a grassy area with a fence and trees in the background.


22. Water Pump WP30



DESCRIPTION OF GOODS	PHOTO
<p>Engine Type; 4-Stroke, Overhead Valve, Single Cylinder</p> <p>Engine Size; 6.5 HP @ 3600 RPM, 196cc</p> <p>Max. Torque; 9.6 ft-lbs @ 2500 RPM</p> <p>Valve Clearance; N: 0.15 ± 0.02 mm (cold) EX: 0.20 ± 0.02 mm (cold)</p> <p>NGK: BPR6ES DENSO: W20EPR-U</p> <p>Spark Plug Gap; 0.028-0.031 in</p> <p>Idle Speed; 1400 RPM (+200/-150)</p> <p>Engine Oil; SAE 10W-30, API, SJ or SL for general use</p> <p>Engine Oil Capacity; 0.63 Qt. (0.6 liters)</p> <p>Fuel Tank Capacity; 1.0 Gal (3.6 liters)</p>	


24. Thermal Fogger, Fogging Machine HYT-2

DESCRIPTION OF GOODS	PHOTO
<p>The right machine for agricultural and garden insect control and for epidemic prevention. Simplified for easy use and maintenance. Mini type, light in weight, low noise. Easy ignition. Strong power burst.</p> <p>Chemical tank capacity: 2L. Particle (μ M): 5-30</p> <p>N. Weight: 1.4Kg. Meas. 50x19x36cm</p>	 A photograph of the Thermal Fogger Machine HYT-2. The machine consists of a bright yellow cylindrical tank at the base, topped with a blue plastic housing that contains the engine and control mechanisms. A long, silver, ribbed nozzle extends from the front of the blue housing. A black shoulder strap is attached to the side of the blue housing. The machine is positioned on a light-colored dirt or concrete surface, with a blurred background of earth and vegetation.


25. Thermal fogging machine

DESCRIPTION OF GOODS	PHOTO
<p>Our thermal fogging machines use heat to vaporize a fogging solution and efficiently spray it out in form of a fog.</p> <p>These thermal foggers are equipped with a heat barrel that gets pre-heated to very high temperatures using gasoline fuel.</p> <p>The fogging solution is in a liquid form and when it gets pumped into the heat barrel, it vaporizes instantly allowing the fogger to produce large amount of particles in extremely small sizes, which all together form a dense cloud of dry fog. This heating technique allows the fogger to produce extremely fine particles as small as 0.5 microns, average particle size between 0.5 - 10 micron range. This heating procedure does not however interfere with the efficiency of the chemical used.</p> <p>The tiny particles are able to penetrate through even very tiny cracks or orifices, thick bushes, etc. where conventional sprayers would be rendered ineffective. Foggers are mainly used in public health for pest control in hospitals, prisons, factories, dense forests, floor gaps, wall crack, long grass, high tree tops and hard to reach places.</p>	 A close-up photograph of a thermal fogging machine's nozzle assembly. The device consists of a long, thin metal nozzle connected to a larger, cylindrical heat barrel. The assembly is mounted on a curved, light-colored surface, possibly a display stand, which is illuminated with a blue glow. The background is dark, making the metallic components stand out.

DESCRIPTION OF GOODS	PHOTO
<p>Tf600</p> <p>Comes with a gasoline engine or an electric motor coupled to a piston pump through a reduction gearbox system, quite handy and versatile.</p>	
<p>TPM /20F</p> <p>Comes with a gasoline engine or an electric motor coupled to a diaphragm pump through a reduction gearbox system, quite handy and versatile.</p>	

DESCRIPTION OF GOODS	PHOTO
<p>Tractor mounted 1200LTRS Sprayer</p> <p>A 1200 liters high density fiberglass or HDPE tank mounted on a reinforced heavy duty metal frame with a quick – turn drawbar, a 2.5 ton max. Capacity hubs, 16 inch heavy duty rims with 16 x 750 tires.</p> <p>GMB AR-81/90/110/130 anti-corrosion, high pressure, high volume diaphragm pump with a capacity of 90/100/115/135 liters per minute at a maximum pressure of 50 bars and BMH50 pressure control regulator valve. Agitation is via a hydro-pneumatic plastic agitator</p> <p style="text-align: center;">With:</p> <p>A standard P.T.O. shaft and two vertical booms with a top smooth external angle of 10degrees(Hockey stick) to facilitate top to bottom penetration, each with 7 NH101 brass nozzles with brass anti-drip valves.</p> <p style="text-align: center;">Or</p> <p>2 or 4 hose reels carrying hose pipes of up to 100M each and with either double nozzle lances or venturi spray pistols.</p>	 <p>The photograph shows a tractor-mounted sprayer. It features a large, rectangular white tank mounted on a green metal frame. The frame has two large, heavy-duty tires with red hubs. A tractor's PTO shaft is connected to the front of the sprayer. The sprayer is parked on a paved surface.</p>

26. 2300 litres tractor trailed sprayer

DESCRIPTION OF GOODS	PHOTO
<p>2300 litres tractor trailed sprayer, with GMB-AR 81 and RM40 pressure control regulator. Suitable as a mobile unit in flowers, horticulture, orchards etc.</p>	 A photograph of a green tractor-trailed sprayer. The sprayer has a green metal frame with four orange cylindrical tanks arranged in a 2x2 grid. It is parked on a paved surface next to a blue building and a green truck. The background shows some trees and a clear sky.

27. 1000 litres tractor trailed mist blower

DESCRIPTION OF GOODS	PHOTO
<p>1000 litres tractor trailed mist blower, with a comette 1021,3 diaphragm pump and BMH50 control regulator valve. Suitable for coffee orchard farming..</p>	 A photograph of a tractor-trailed mist blower. The machine features a large, circular, silver-colored fan with a protective grille. It is mounted on a green frame with two large black tires and a smaller red wheel at the front. A white cylindrical tank is attached to the side. The machine is parked on a paved surface, and a dark-colored vehicle is visible in the background.

Accessories

