




Distributors of Agricultural Sprayers
And Protective Gear

Ruiru – Kamiti Road, Next to Ruiru Prisons Staff College
P.O. Box 64311- 00620, Nairobi, Kenya
Land Line: +254 20 231 3945
Mobile: +254 722 854 191 / 0722 286 269 / 0733 402 532
Email: sales@panagric.co.ke / sales@panagric.com
Website: www.panagric.com




SPRAY MACHINES

1. GMBAR 30PORTABLE SPRAYER

| DESCRIPTION OF GOODS | PHOTO |
|--|---|
| <p>GMBAR30 diaphragm pump 35l/min @40bar, 6.5hp honda gasoline engine, coupling gear box &frame.</p> <p>high pressure hose pipe 3/8"</p> <p>double nozzle lances with albus ceramic nozzles.</p> <p>accessories: hose clips, suction, delivery, pipes, filters, oil, agitator.</p> |  A portable sprayer unit with a white Honda gasoline engine, a green pump, and a black frame. It is equipped with a high-pressure hose and a double nozzle lance. The unit is shown on a tiled floor. |


2. 120ltrs WHEELBARROW SPRAYER

| DESCRIPTION OF GOODS | PHOTO |
|---|--|
| <p>A 120 Liters high density fiberglass tank on a sturdy constructed wheelbarrow frame with 2, 10" wheels.</p> <p>GMB-AR30 Diaphragm pump, 35L/Min @40bar, 5.5Hp Honda gasoline engine, G140 pressure control regulator. Agitation is via a Hydro-Pneumatic Plastic Agitator.</p> <p>Delivery is through 2 x 50mtrs 80/200bar high pressure hose pipe and two double nozzle lance with ceramic nozzles.</p> |  A wheelbarrow sprayer unit with a yellow fiberglass tank, a red Honda engine, and a green frame. It is parked on a gravel path. In the background, there is a sign for 'PAN AGRIC AGRICULTURAL EQUIPMENT AND SERVICES' with a phone number and a red arrow pointing left. |

3. 200LTRS TROLLEY SPRAYER

| DESCRIPTION OF GOODS | PHOTO |
|---|---|
| <p>GMBAR30 diaphragm pump, 6.5hp honda gasoline engine, 200 ltrs fibre glass cylindrical tank, gear box coupling, frame, 3 biometric tyres complete.</p> <p>3/8" high pressure hose pipe</p> <p>double nozzle lances with ceramic nozzles.</p> <p>accessories: hose clips, suction, delivery, pipes, filters oil, agitator.</p> |  |


4. 300LTRS TROLLEY SPRAYER

| DESCRIPTION OF GOODS | PHOTO |
|---|--|
| <p>GMBAR30 diaphragm pump, 6.5hp honda gasoline engine or 6hp,1450rpm, 3hp ,3phase electric motor, 300 ltrs fibre glass cylindrical tank, gear box coupling, frame, 3 biometric tyres complete.</p> <p>3/8" high pressure hose pipe</p> <p>Double nozzle lances with ceramic nozzles</p> <p>Accessories: hose clips, suction, delivery, pipes, filters oil, agitator.</p> |  A photograph of a green trolley sprayer with a yellow tank and blue containers, parked in front of a sign for PAN AGRIC Agricultural Equipment and Services. The sign also includes a phone number: TEL: 020 231 394 0. |


5. 600LTRS TROLLEY SPRAYER

| DESCRIPTION OF GOODS | PHOTO |
|---|---|
| <p>Tank: 600 liters fiberglass tank.</p> <p>Chemical Trap:Chemical trap & drainage underneath the tank.</p> <p>Pump: GMB AR-30 Diaphragm type, flow rate 35 liters/ minute @ 40 bars.</p> <p>Pressure regulator:GI40 pressure control regulator.</p> <p>Motor: 5.5Hp electric motor and DOL Starter</p> <p>Engine: 6.5Hp Honda gasoline engine.</p> <p>Hose reels:Attached with 2 hose reels of 50mtrs to 100mtrs hose capacity.</p> <p>Hoses: 100mtrs High pressure hose pipes 3/8" – WP 80 Bar- BP 240 Bar</p> <p>Lances:Double nozzle brass head and stainless steel tube with ceramic nozzles.</p> |  |


6. 1200LTRS COFFEE SPRAYER

| DESCRIPTION OF GOODS | PHOTO |
|--|---|
| <p>A 1200 Liters high density fiberglass tank mounted on a reinforced heavy duty metal frame with a quick – turn drawbar, a 2.5 tone max. Capacity hubs, 16 inch heavy duty rims with 16 x 750 tires.</p> <p>GMBAR-903 anti-corrosion, high pressure, high volume diaphragm pump with a capacity of 100 liters per minute at a maximum pressure of 50 bars and BMH50 pressure control regulator valve. Agitation is via a hydro-pneumatic plastic agitator.</p> <p>A standard P.T.O shaft, 100mtrs x 2 high pressure 80Wp/240, 10mm hose pipe on 2 swivel connected hose reels and 2 Venture spray guns.</p> |  A photograph of a green 1200-liter coffee sprayer machine. The machine features a large cylindrical tank mounted on a metal frame with two large, heavy-duty tires. It has a drawbar at the front and two spray nozzles extending from the top. The machine is parked on a dirt or gravel surface outdoors, with trees and a cloudy sky in the background. |

7. CENTRAL SPRAY UNIT

| DESCRIPTION OF GOODS | PHOTO |
|---|---|
| <p>Central Spray Unit-GMBAR130 Diaphragm pump, 15hp, 1440RPM 3-phase motor and a delta on line (DOL) with thermal overload.</p> <p>2x 1000 liters tank on a sturdy frame with a step ladder, tank with all fittings including suction, return and a vortex and pneumatic agitation system</p> <p>Miscellaneous fittings including connectors, hose pipes, clips, oil.</p> |  |


8. 600 liters tractor mounted sprayers

| DESCRIPTION OF GOODS | PHOTO |
|--|--|
| <p>Tank: 600 liters fiber glass tank</p> <p>Pump: i. GMB AR-30 /35 Liters per minute @ 40 bar</p> <p>ii. GMB AR-55/ 55 liters per minute@40 bar</p> <p>iii. GMB 81 / 81 liters per minute @50 bar</p> <p>iv. GMB -130 /130 liters per minute @ 50 bar</p> <p>v. GMB -215 /215 Liters per minute @ 20 bar</p> <p>Pressure regulator: - GI40</p> <ul style="list-style-type: none">-RM 40-RM 40/VDR50/BMH50-VDR 50/BMH50 <p>Booms:10m –fixed centre suction, 12m –fixed centre suction</p> <p>Hoses: High pressure PVC or Rubber 80 bar Wp/240 Bar Bp</p> <p>Lances: Double nozzle with brass head and stainless tube</p> <p>Or</p> <p>CG 16 Venturi spray guns.</p> |  |


9. Portable sprayers

| DESCRIPTION OF GOODS | PHOTO |
|---|--|
| <p>Pump: GMB AR-30 Diaphragm type, flow rate 35litres/minute@40 bar</p> <p>Pressure control regulator: GI40</p> <p>OR</p> <p>TF 22 Piston pump, 22litres/minute@40 bar with inbuilt pressure regulator.</p> <p>Motor: 5.5Hp with DOL starter</p> <p>Engine: GX Honda 5.5/6.5Hp</p> <p>Hoses: High pressure hose pipes</p> <ul style="list-style-type: none">- Wp 80 bar-Bp 240 bar <p>Lances: Double nozzle brass head and stainless steel tube.</p> <p>Or</p> <p>CG16 Venturi spray gun</p> |  |


10. Dust/ mist sprayer

| DESCRIPTION OF GOODS | PHOTO |
|--|--|
| <p>Our motorized knapsack sprayer is easy to start and has a strong rubber support to absorb any vibrations and hence user friendly. our mist blower comes with 20ltrs tank capacity and 2 engine models</p> <p>5. 5 hp engine (GSP M3V)</p> <p>Its unique engine capacity and robustness makes it the farmers favorite motorized knapsack sprayer dealer in Kenya</p> |  A photograph of a motorized knapsack sprayer. The device consists of a white plastic tank with a red cap, mounted on a red engine block. A black rubber support is visible at the base. A red spray wand is attached to the side. The sprayer is standing on a patch of dry grass and soil, with green foliage in the background. |


11. Knapsack sprayer

| DESCRIPTION OF GOODS | PHOTO |
|---|---|
| <p>Our GSP 15ltrs Knapsack manual sprayer is a robust, reliable and field proven sprayer that is ideal for commercial farming.</p> <p>GSP - Concept is an eco friendly spraying technology that ensures adequate maintenance and calibration of this top of the range brand and gives maximum protection and comfort to the operator. our GSP knapsack sprayers require only minimum maintenance effort and are very durable.</p> <p>Our high quality knapsack sprayers comes in 15 ltrs, 16ltrs 20ltrs and one ltrs hand sprayer that's ideal for domestic use. we are proud to be the best one stop knapsack sprayer outlet in Kenya and beyond</p> |  <p>The top photograph shows a blue knapsack sprayer with a yellow pump handle and a black hose. The tank has 'GSP16K PANAGRIC' printed on it. The bottom photograph shows a white plastic hand sprayer with a blue trigger and nozzle.</p> |


12. Portable pump (TF600)

| DESCRIPTION OF GOODS | PHOTO |
|--|--|
| <p>This is a small, easy to carry piston pump attached through a gearbox to a 2.6Hp and easy to start engine.</p> <p>It has an agitation capacity of upto 200Litres.</p> <p>It is supplied with a standard 10metres high pressure hose pipe and one venture spray gun.</p> |  A photograph showing a portable piston pump (TF600) with a red engine, black gearbox, and a yellow high-pressure hose. The pump is lying on a grey surface, and the hose is coiled next to it. A black spray gun is also visible in the bottom left corner of the photo. |

13. High pressure cleaners

| DESCRIPTION OF GOODS | PHOTO |
|--|--|
| <p>Both power and gasoline driven pressure cleaners are available with power rating of 2.2kw to 4kw, very high pressure range of 130-200 bar and water flow rates of 15litres per minute.</p> <p>A repair service for the same is available.</p> |  A photograph showing two high-pressure cleaners standing side-by-side. Both units are primarily yellow with black accents. The unit on the left is a power-driven model, featuring a black power cord and a black hose reel on top. The unit on the right is a gasoline-driven model, featuring a black fuel tank and a black hose reel on top. Both units have a black handle and a black spray lance attached to the top. They are positioned on a light-colored tiled floor against a plain, light-colored wall. |


14. Vertical boom

| DESCRIPTION OF GOODS | PHOTO |
|--|--|
| <p>Suitable for green house growers. it gives complete coverage, great penetration and its very convenient and user friendly</p> |  A photograph of a vertical boom sprayer. It features a green metal frame with two yellow wheels at the base. A vertical pole extends upwards from the frame, equipped with several small, adjustable nozzles. A blue hose is connected to the side of the frame. The device is positioned on a brick floor against a light-colored wall. |


15. coffee pulpers

| DESCRIPTION OF GOODS | PHOTO |
|---|---|
| <p data-bbox="134 296 448 331">Manual Coffee Pulper</p> <p data-bbox="134 369 461 405">Pulps 200Kgs per hour</p> <p data-bbox="134 884 342 919">Electric Pulper</p> <p data-bbox="134 957 461 993">Pulps 200Kgs per hour</p> |  <p data-bbox="938 338 1430 705">A manual coffee pulper machine with a stainless steel body and a hopper on top. It features two large rollers with a perforated surface and a red hand crank on the right side. The machine is positioned on a bed of straw or hay.</p>  <p data-bbox="938 804 1308 1276">An electric coffee pulper machine with a stainless steel body and a hopper on top. It is mounted on a black metal frame and has a blue motor housing. The machine is positioned against a stone wall.</p> |


16. coffee pulper disc

| DESCRIPTION OF GOODS | PHOTO |
|---|--|
| <p>Pan Agric provides coffee pulper disc sand-blasting and re-coating services of the highest standards. Coffee Pulper chops are reconditioned with high precision to provide for quality pulping of coffee.</p> <p>Chop knives, all brass fittings, hopper, huller pre-grader sieves and coffee selector are all fittings including chains, belts and bearings are done with great care and accuracy.</p> <p>We also provide new pulper disc and chops of very high quality.</p> |  A photograph showing several grey, circular coffee pulper discs mounted on metal shafts, arranged in a row. The discs are arranged in a row, and the shafts are visible. The background is a light-colored surface. |

17. Thermal Fogging Machine

| DESCRIPTION OF GOODS | PHOTO |
|--|---|
| <p>Our thermal fogging machines use heat to vaporize a fogging solution and efficiently spray it out in form of a fog.</p> <p>These thermal foggers are equipped with a heat barrel that gets pre-heated to very high temperatures using gasoline fuel.</p> <p>The fogging solution is in a liquid form and when it gets pumped into the heat barrel, it vaporizes instantly allowing the fogger to produce large amount of particles in extremely small sizes, which all together form a dense cloud of dry fog</p> |  |

19. Trolley hose reels

| DESCRIPTION OF GOODS | PHOTO |
|--|---|
| <p>This is high quality hose reels of 50metres to 100metres hose capacity.</p> |  |

20. Standard Tractor Shaft PTO

| DESCRIPTION OF GOODS | PHOTO |
|--|---|
| <p>High quality both light and heavy duty.</p> <p>6 sprines, 550 rpm</p> |  A photograph of a yellow tractor shaft PTO (Power Take-Off) component. The shaft is cylindrical and has a white label with some text on it. It is lying horizontally on a green grass surface. The ends of the shaft are flared and have a splined design. |

21. PAN100 Wheelbarrow Sprayer 100lts

| DESCRIPTION OF GOODS | PHOTO |
|---|---|
| <p>Pan Agric TPM 100/20F Power Sprayers</p> <p>Chemical tank capacity 100L</p> <p>Pump flow rate 20L/min</p> <p>Working pressure 20 bar</p> <p>Operating pressure 20Bar</p> <p>Hose length 30m Adjustable to even 100m</p> <p>Mating power 152F, 1.4KW.</p> |  |


22. Gasoline Power Sprayer GX35-900

| DESCRIPTION OF GOODS | PHOTO |
|--|---|
| <p>Tank capacity: 25L</p> <p>Operating pressure: 1-4MPa</p> <p>Pump suction: 7.1L/min</p> <p>Displacement: 25.6ml</p> <p>Max. output: 0.9hp/6,000rpm</p> |  A photograph of a white and red gasoline power sprayer (GX35-900) with a tank and engine. The sprayer is shown from a rear-three-quarter view, highlighting the white cylindrical tank with a red top and the red engine compartment. A long spray wand is attached to the side. The device is positioned outdoors on a grassy area with a stone wall and greenery in the background. |
| | |


22. Water Pump WP30



| DESCRIPTION OF GOODS | PHOTO |
|---|---|
| <p>Engine Type; 4-Stroke, Overhead Valve, Single Cylinder</p> <p>Engine Size; 6.5 HP @ 3600 RPM, 196cc</p> <p>Max. Torque; 9.6 ft-lbs @ 2500 RPM</p> <p>Valve Clearance; N: 0.15 ± 0.02 mm (cold) EX: 0.20 ± 0.02 mm (cold)</p> <p>NGK: BPR6ES DENSO: W20EPR-U</p> <p>Spark Plug Gap; 0.028-0.031 in</p> <p>Idle Speed; 1400 RPM (+200/-150)</p> <p>Engine Oil; SAE 10W-30, API, SJ or SL for general use</p> <p>Engine Oil Capacity; 0.63 Qt. (0.6 liters)</p> <p>Fuel Tank Capacity; 1.0 Gal (3.6 liters)</p> |  |


24. Thermal Fogger, Fogging Machine HYT-2

| DESCRIPTION OF GOODS | PHOTO |
|--|---|
| <p>The right machine for agricultural and garden insect control and for epidemic prevention. Simplified for easy use and maintenance. Mini type, light in weight, low noise. Easy ignition. Strong power burst.</p> <p>Chemical tank capacity: 2L. Particle (μ M): 5-30</p> <p>N. Weight: 1.4Kg. Meas. 50x19x36cm</p> |  A photograph of a thermal fogger machine. It consists of a bright yellow plastic tank at the base, a blue plastic handle and trigger assembly on top, and a long, silver, ribbed nozzle extending to the left. The machine is standing on a dirt or sandy ground. The background is slightly blurred, showing some greenery and a dirt bank. |

25. Thermal fogging machine

| DESCRIPTION OF GOODS | PHOTO |
|---|--|
| <p>Our thermal fogging machines use heat to vaporize a fogging solution and efficiently spray it out in form of a fog.</p> <p>These thermal foggers are equipped with a heat barrel that gets pre-heated to very high temperatures using gasoline fuel.</p> <p>The fogging solution is in a liquid form and when it gets pumped into the heat barrel, it vaporizes instantly allowing the fogger to produce large amount of particles in extremely small sizes, which all together form a dense cloud of dry fog. This heating technique allows the fogger to produce extremely fine particles as small as 0.5 microns, average particle size between 0.5 - 10 micron range. This heating procedure does not however interfere with the efficiency of the chemical used.</p> <p>The tiny particles are able to penetrate through even very tiny cracks or orifices, thick bushes, etc. where conventional sprayers would be rendered ineffective. Foggers are mainly used in public health for pest control in hospitals, prisons, factories, dense forests, floor gaps, wall crack, long grass, high tree tops and hard to reach places.</p> |  |

| DESCRIPTION OF GOODS | PHOTO |
|--|---|
| <p>Tf600</p> <p>Comes with a gasoline engine or an electric motor coupled to a piston pump through a reduction gearbox system, quite handy and versatile.</p> <p>TPM /20F</p> <p>Comes with a gasoline engine or an electric motor coupled to a diaphragm pump through a reduction gearbox system, quite handy and versatile.</p> |   |

| DESCRIPTION OF GOODS | PHOTO |
|---|--|
| <p>Tractor mounted 1200LTRS Sprayer</p> <p>A 1200 liters high density fiberglass or HDPE tank mounted on a reinforced heavy duty metal frame with a quick – turn drawbar, a 2.5 ton max. Capacity hubs, 16 inch heavy duty rims with 16 x 750 tires.</p> <p>GMB AR-81/90/110/130 anti-corrosion, high pressure, high volume diaphragm pump with a capacity of 90/100/115/135 liters per minute at a maximum pressure of 50 bars and BMH50 pressure control regulator valve. Agitation is via a hydro-pneumatic plastic agitator</p> <p style="text-align: center;">With:</p> <p>A standard P.T.O. shaft and two vertical booms with a top smooth external angle of 10degrees(Hockey stick) to facilitate top to bottom penetration, each with 7 NH101 brass nozzles with brass anti-drip valves.</p> <p style="text-align: center;">Or</p> <p>2 or 4 hose reels carrying hose pipes of up to 100M each and with either double nozzle lances or venturi spray pistols.</p> |  <p>The photograph shows a tractor-mounted sprayer. It features a large, rectangular white tank mounted on a green metal frame. The frame has two large, heavy-duty tires with red hubs. A tractor's PTO shaft is connected to the front of the sprayer. The sprayer is parked on a paved surface.</p> |

26. 2300 litres tractor trailed sprayer

| DESCRIPTION OF GOODS | PHOTO |
|---|---|
| <p>2300 litres tractor trailed sprayer, with GMB-AR 81 and RM40 pressure control regulator. Suitable as a mobile unit in flowers, horticulture, orchards etc.</p> |  A photograph of a green tractor-trailed sprayer. The sprayer has a green metal frame with four orange cylindrical tanks arranged in a 2x2 grid. It is parked on a paved surface, and a dark-colored pickup truck is visible in the background. The sprayer is positioned in front of a blue building. |

27. 1000 litres tractor trailed mist blower

| DESCRIPTION OF GOODS | PHOTO |
|---|--|
| <p>1000 litres tractor trailed mist blower, with a comette 1021,3 diaphragm pump and BMH50 control regulator valve. Suitable for coffee orchard farming..</p> |  A photograph of a tractor-trailed mist blower. The machine features a large, circular, silver-colored fan with a protective grille. It is mounted on a green frame with two large, black tires. A white cylindrical tank is attached to the side of the frame. The machine is parked on a paved surface, and a dark-colored vehicle is visible in the background. |

Accessories

